

As of: 10/30/2009 the **HP Compaq LA1951g 19-inch LCD Monitor** addresses the Section 508 standards as described in the chart below.

Includes both EM890AA and EM890A2

Standard	Reference (36CFR)	Supporting Features*	Remarks*
<b>Software Applications and Operating Systems</b>			
<p>When software is designed to run on a system that has a keyboard, product functions shall be executable from a keyboard where the function itself or the result of performing a function can be discerned textually.</p>	1194.21(a)	<p>Supports Through Equivalent Facilitation. Keyboard access exists for functions that can be identified with text labels. A mouse or other pointing device is not required for any of these functions.</p>	<p>HP Display Assistant software uses Display Data Channel/Command Interface (DDC/CI) software commands, so other applications that use DDC/CI may also perform the functions included in HP Display Assistant. The functions of HP Display Assistant are also available via the monitor's Onscreen Display (OSD).</p>
<p>Applications shall not disrupt or disable activated features of other products that are identified as accessibility features, where those features are developed and documented according to industry standards. Applications also shall not disrupt or disable activated features of any operating system that are identified as accessibility features where the application programming interface for those accessibility features has been documented by the manufacturer of the operating system and is available to the product developer.</p>	1194.21(b)	<p>Supports. The product does not interfere with documented accessibility features of the supported operating systems or other products that follow industry standards.</p>	<p>The Onscreen Display (OSD) does not interfere with accessibility features.</p>
<p>A well-defined on-screen indication of the current focus shall be provided that</p>		<p>Supports Through Equivalent Facilitation. The current focus is identified visually through the display and audibly through speech</p>	<p>HP Display Assistant software uses DDC/CI software commands, so other applications that use DDC/CI</p>

<p>moves among interactive interface elements as the input focus changes. The focus shall be programmatically exposed so that Assistive technology can track focus and focus changes.</p>	1194.21(c)	<p>output systems. Assistive technology can track the focus as it changes. (For example, when the application runs with a screen enlargement program, the magnified area moves to follow changes in the focus.)</p>	<p>may also perform the functions included in HP Display Assistant. The functions of HP Display Assistant are also available via the monitor's Onscreen Display (OSD).</p>
<p>Sufficient information about a user interface element including the identity, operation and state of the element shall be available to Assistive technology. When an image represents a program element, the information conveyed by the image must also be available in text.</p>	1194.21(d)	<p>Supports Through Equivalent Facilitation. Information about user interface elements is made available to assistive technology. Text equivalents for program element images are available for applications that adhere to standard Windows Application Programming Interfaces (APIs).</p>	<p>HP Display Assistant software uses DDC/CI software commands, so other applications that use DDC/CI may also perform the functions included in HP Display Assistant. The functions of HP Display Assistant are also available via the monitor's Onscreen Display (OSD).</p>
<p>When bitmap images are used to identify controls, status indicators, or other programmatic elements, the meaning assigned to those images shall be consistent throughout an application's performance.</p>	1194.21(e)	<p>Supports. Images used to identify programmatic elements have consistent meaning throughout the OSD utility.</p>	
<p>Textual information shall be provided through operating system functions for displaying text. The minimum information that shall be made available is text content, text input caret location, and text attributes.</p>	1194.21(f)	<p>Supports Through Equivalent Facilitation. HP Display Assistant uses the functions provided by the supported operating systems when displaying text (text content, text input caret location, and text attributes), adhering to standard Windows Application Programming Interfaces (APIs).</p>	<p>HP Display Assistant software uses DDC/CI software commands, so other applications that use DDC/CI may also perform the functions included in HP Display Assistant. The functions of HP Display Assistant are also available via the monitor's Onscreen Display (OSD).</p>
<p>Applications shall not override user selected contrast and color selections and other individual display</p>	1194.21(g)	<p>Supports. The product maintains user selected contrast and color selections and other individual display attributes set through supported operating systems. (For example, if users set their system display settings</p>	<p>If DDC/CI software is installed on the PC, the software will enable display setting adjustments from the PC, including brightness,</p>

attributes		to high contrast, the software can display all items in high contrast.)	contrast, color settings, etc.
When animation is displayed, the information shall be displayable in at least one non-animated presentation mode at the option of the user.	1194.21(h)	Not Applicable. The HP Compaq LA1951g LCD Monitor does not contain animation.	The product displays the image from the device to which it is attached. This product may support this standard when used with other products that meet this standard.
Color coding shall not be used as the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.	1194.21(i)	Supports. The product provides redundant visual cues when color conveys information, indicates action, prompts for responses, or distinguishes visual elements.	The OSD utility uses color, outlining and an arrow to identify the current OSD setting or selection.
When a product permits a user to adjust color and contrast settings, a variety of color selections capable of producing a range of contrast levels shall be provided.	1194.21(j)	Supports. The HP Compaq LA1951g LCD Monitor supports a variety of color and contrast selections.	Contrast is fully adjustable for all color settings, including the "Custom Color" mode, which permits user adjustment of red, green and blue over a full range of settings.
Software shall not use flashing or blinking text, objects, or other elements having a flash or blink frequency greater than 2 Hz and lower than 55 Hz.	1194.21(k)	Supports. The HP Compaq LA1951g LCD Monitor does not use elements that flash or blink at frequencies greater than 2 Hz and less than 55 Hz.	The OSD utility does not use blinking. The "Power-On/Sleep" mode LED indicator does not use blinking.
When electronic forms are used, the form shall allow people using Assistive technology to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues.	1194.21(l)	Not Applicable. The HP Compaq LA1951g LCD Monitor does not use electronic forms.	The product displays the image from the device to which it is attached. This product may support this standard when used with other products that meet this standard.
<b>Web-based Intranet and Internet Information and Applications</b>			
A text equivalent for every non-text element shall be		Partially Supports. Text equivalents exist for non-text elements that are required to	The LA1951g includes text equivalents for non-text elements/icons used in the OSD to facilitate navigation.

provided (e.g., via "alt", "longdesc", or in element content).	1194.22(a)	comprehend content or to facilitate navigation, with some exceptions.	The HP Display Assistant software does not support text equivalents for all non-text images.
Equivalent alternatives for any multimedia presentation shall be synchronized with the presentation.	1194.22(b)	Not Applicable. The HP Compaq LA1951g LCD Monitor does not include multimedia presentations.	This product may support this standard when used with other products that meet this standard.
Web pages shall be designed so that all information conveyed with color is also available without color, for example from context or markup.	1194.22(c)	Not Applicable. The HP Compaq LA1951g LCD Monitor does not have web pages that use color to convey information.	This product may support this standard when used with other products that meet this standard.
Documents shall be organized so they are readable without requiring an associated style sheet	1194.22(d)	Not Applicable. The HP Compaq LA1951g LCD Monitor does not run inside a web browser.	This product may support this standard when used with other products that support the standard.
Redundant text links shall be provided for each active region of a server-side image map	1194.22(e)	Not Applicable. The HP Compaq LA1951g LCD Monitor does not have server-side image maps with active regions.	This product may support this standard when used with other products that meet this standard.
Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape.	1194.22(f)	Not Applicable. The HP Compaq LA1951g LCD Monitor does not have image maps.	This product may support this standard when used with other products that meet this standard.
Row and column headers shall be identified for data tables.	1194.22(g)	Not Applicable. The HP Compaq LA1951g LCD Monitor does not have data tables.	This product may support this standard when used with other products that meet this standard.
Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers.	1194.22(h)	Not Applicable. The HP Compaq LA1951g LCD Monitor does not have complex data tables.	This product may support this standard when used with other products that meet this standard.
Frames shall be titled with text that facilitates frame identification and navigation.	1194.22(i)	Not Applicable. The HP Compaq LA1951g LCD Monitor does not use frames.	This product may support this standard when used with other products that meet this standard.
Pages shall be designed to		Not Applicable. The HP	This product may support

<p>avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.</p>	1194.22(j)	<p>Compaq LA1951g LCD Monitor does not have web pages.</p>	<p>this standard when used with other products that meet this standard.</p>
<p>A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when compliance cannot be accomplished in any other way. The content of the text-only page shall be updated whenever the primary page changes.</p>	1194.22(k)	<p>Not Applicable. The HP Compaq LA1951g LCD Monitor does not have web pages.</p>	<p>This product may support this standard when used with other products that meet this standard.</p>
<p>When pages utilize scripting languages to display content, or to create interface elements, the information provided by the script shall be identified with functional text that can be read by Assistive technology.</p>	1194.22(l)	<p>Not Applicable. The HP Compaq LA1951g LCD Monitor does not use scripting languages to display content or create interface elements.</p>	<p>This product may support this standard when used with other products that meet this standard.</p>
<p>When a web page requires that an applet, plug-in or other application be present on the client system to interpret page content, the page must provide a link to a plug-in or applet that complies with §1194.21(a) through (l).</p>	1194.22(m)	<p>Not Applicable. The HP Compaq LA1951g LCD Monitor does not have web pages that require the use of applets, plug-ins or other similar applications.</p>	<p>This product may support this standard when used with other products that meet this standard.</p>
<p>When electronic forms are designed to be completed on-line, the form shall allow people using Assistive technology to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues.</p>	1194.22(n)	<p>Not Applicable. The HP Compaq LA1951g LCD Monitor does not have electronic forms designed to be completed on-line.</p>	<p>This product may support this standard when used with other products that support the standard.</p>

A method shall be provided that permits users to skip repetitive navigation links.	1194.22(o)	Not Applicable. The HP Compaq LA1951g LCD Monitor does not have repetitive navigation links.	This product may support this standard when used with other products that support the standard.
When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.	1194.22(p)	Not Applicable. The HP Compaq LA1951g LCD Monitor does not require timed responses.	This product may support this standard when used with other products that support the standard.
<b>Telecommunications Products</b>			
Telecommunications products or systems which provide a function allowing voice communication and which do not themselves provide a TTY functionality shall provide a standard non-acoustic connection point for TTYs. Microphones shall be capable of being turned on and off to allow the user to intermix speech with TTY use.	1194.23(a)	Not Applicable. The HP Compaq LA1951g LCD Monitor is not a telecommunications product or system that provides a function allowing voice communication or TTY functionality.	This product may support this standard when used with other products that meet this standard.
Telecommunications products which include voice communication functionality shall support all commonly used cross-manufacturer non-proprietary standard TTY signal protocols.	1194.23(b)	Not Applicable. The HP Compaq LA1951g LCD Monitor is not a telecommunications product that provides voice communication functionality.	This product may support this standard when used with other products that meet this standard.
Voice mail, auto-attendant, and interactive voice response telecommunications systems shall be usable by TTY users with their TTYs.	1194.23(c)	Not Applicable. The HP Compaq LA1951g LCD Monitor is not a telecommunications system that provides voice mail, auto attendant, or interactive voice response.	This product may support this standard when used with other products that meet this standard.
Voice mail, messaging, auto-attendant, and interactive voice response telecommunications systems that require a response from a user within	1194.23(d)	Not Applicable. The HP Compaq LA1951g LCD Monitor is not a telecommunications system that provides voice mail, auto	This product may support this standard when used with other products that support

<p>a time interval, shall give an alert when the time interval is about to run out, and shall provide sufficient time for the user to indicate more time is required.</p>		<p>attendant, or interactive voice response requiring timed responses.</p>	<p>the standard.</p>
<p>Where provided, caller identification and similar telecommunications functions shall also be available for users of TTYs, and for users who cannot see displays.</p>	<p>1194.23(e)</p>	<p>Not Applicable. The HP Compaq LA1951g LCD Monitor does not have caller identification or similar telecommunications functions.</p>	<p>This product may support this standard when used with other products that support the standard.</p>
<p>For transmitted voice signals, telecommunications products shall provide a gain adjustable up to a minimum of 20 dB. For incremental volume control, at least one intermediate step of 12 dB of gain shall be provided.</p>	<p>1194.23(f)</p>	<p>Not Applicable. The HP Compaq LA1951g LCD Monitor is not a telecommunications product that provides voice signals.</p>	<p>This product may support this standard when used with other products that support the standard.</p>
<p>Requires that an automatic reset be installed on any telephone that allows the user to adjust the volume higher than the normal level. This is a safety feature to protect people from suffering damage to their hearing if they accidentally answer a telephone with the amplification turned too high</p>	<p>1194.23(g)</p>	<p>Not Applicable. The HP Compaq LA1951g LCD Monitor does not have a telephone that allows users to adjust volume.</p>	<p>This product may support this standard when used with other products that support the standard.</p>
<p>Where a telecommunications product delivers output by an audio transducer which is normally held up to the ear, a means for effective magnetic wireless coupling to hearing technologies shall be provided</p>	<p>1194.23(h)</p>	<p>Not Applicable. The HP Compaq LA1951g LCD Monitor is not a telecommunications product that delivers output by an audio transducer held to the ear.</p>	<p>This product may support this standard when used with other products that support the standard.</p>
<p>Interference to hearing</p>			

<p>technologies (including hearing aids, cochlear implants, and Assistive listening devices) shall be reduced to the lowest possible level that allows a user of hearing technologies to utilize the telecommunications product.</p>	<p>1194.23(i)</p>	<p>Not Applicable. The HP Compaq LA1951g LCD Monitor is not a telecommunications product.</p>	<p>This product may support this standard when used with other products that support the standard.</p>
<p>Products that transmit or conduct information or communication, shall pass through cross-manufacturer, non-proprietary, industry-standard codes, translation protocols, formats or other information necessary to provide the information or communication in a usable format. Technologies which use encoding, signal compression, format transformation, or similar techniques shall not remove information needed for access or shall restore it upon delivery.</p>	<p>1194.23(j)</p>	<p>Not Applicable. The HP Compaq LA1951g LCD Monitor is not a telecommunications product.</p>	<p>This product may support this standard when used with other products that support the standard.</p>
<p>Controls and keys shall be tactilely discernible without activating the controls or keys</p>	<p>1194.23 (k.1)</p>	<p>Partially Supports. Individual controls and keys can be located and distinguished from adjacent keys by touch, without activating functions, with some exceptions.</p>	<p>There is no master power switch on the monitor. The secondary power button is a "push" type, located on the bottom right-hand corner of the front surface of the bezel. Four OSD buttons are located on the lower front of the monitor bezel. OSD buttons are all of similar size and spacing. Tactile identification of the OSD buttons may be difficult but is possible after brief training on button functions and relative locations.</p>
<p>Controls and keys shall be operable with one hand and shall not require tight</p>		<p>Supports. Controls, keys and latches are operable with one hand and do not require tight</p>	

<p>grasping, pinching, or twisting of the wrist. The force required to activate controls and keys shall be 5 lbs. (22.2 N) maximum.</p>	<p>1194.23 (k.2)</p>	<p>grasping, pinching or twisting of the wrist. The force required to activate controls, keys and latches is less than 5 lbs.</p>	
<p>If key repeat is supported, the delay before repeat shall be adjustable to at least 2 seconds. Key repeat rate shall be adjustable to 2 seconds per character.</p>	<p>1194.23 (k.3)</p>	<p>Not Applicable. The HP Compaq LA1951g LCD Monitor does not have mechanically operated controls or keys that support key repeat.</p>	
<p>The status of all locking or toggle controls or keys shall be visually discernible, and discernible either through touch or sound.</p>	<p>1194.23 (k.4)</p>	<p>Supports. The status of locking and toggle controls or keys is displayed visually, as well as tactilely or audibly when activated.</p>	<p>The power switch emits an audible clicking sound when actuated and an adjacent LED is illuminated when power is on. All front-panel control buttons (non-locking) emit audible clicking sounds when activated. The product has no master power switch. The only power switch is a secondary "push" button.</p>
<p><b>Video and Multimedia Products</b></p>			
<p>All analog television displays 13 inches and larger, and computer equipment that includes analog television receiver or display circuitry, shall be equipped with caption decoder circuitry which appropriately receives, decodes, and displays closed captions from broadcast, cable, videotape, and DVD signals. As soon as practicable, but not later than July 1, 2002, widescreen digital television (DTV) displays measuring at least 7.8 inches vertically, DTV sets with conventional displays measuring at least 13 inches vertically, and stand-alone DTV tuners,</p>	<p>1194.24(a)</p>	<p>Not Applicable. The HP Compaq LA1951g LCD Monitor does not have analog television receiver or display circuitry.</p>	<p>This product may support this standard when used with other products that support the standard.</p>

<p>whether or not they are marketed with display screens, and computer equipment that includes DTV receiver or display circuitry, shall be equipped with caption decoder circuitry which appropriately receives, decodes, and displays closed captions from broadcast, cable, videotape, and DVD signals.</p>			
<p>Television tuners, including tuner cards for use in computers, shall be equipped with secondary audio program playback circuitry.</p>	1194.24(b)	<p>Not Applicable. The HP Compaq LA1951g LCD Monitor does not have tuner capabilities.</p>	<p>This product may support this standard when used with other products that support the standard.</p>
<p>All training and informational video and multimedia productions which support the agency's mission, regardless of format, that contain speech or other audio information necessary for the comprehension of the content, shall be open or closed captioned</p>	1194.24(c)	<p>Not Applicable. The HP Compaq LA1951g LCD Monitor does not have training or informational productions containing audio.</p>	<p>The product displays the image from the device to which it is attached. This product may support this standard when used with other products that support the standard.</p>
<p>All training and informational video and multimedia productions which support the agency's mission, regardless of format, that contain visual information necessary for the comprehension of the content, shall be audio described.</p>	1194.24(d)	<p>Not Applicable. The HP Compaq LA1951g LCD Monitor does not have training or informational video or multimedia productions.</p>	<p>The product displays the image from the device to which it is attached. This product may support this standard when used with other products that support the standard.</p>
<p>Display or presentation of alternate text presentation or audio descriptions shall be user-selectable unless permanent.</p>	1194.24(e)	<p>Not Applicable. The HP Compaq LA1951g LCD Monitor does not have alternate text or audio descriptions.</p>	<p>The display of alternate text or audio is user-selectable through the device to which the product is attached. This product may support this standard when used with</p>

			other products that support the standard.
<b>Self Contained, Closed Products</b>			
Self contained products shall be usable by people with disabilities without requiring an end-user to attach Assistive technology to the product. Personal headsets for private listening are not Assistive technology.	1194.25(a)	Not Applicable. The HP Compaq LA1951g LCD Monitor is not a self-contained product.	This product may support this standard when used with other products that support the standard.
When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.	1194.25(b)	Not Applicable. The HP Compaq LA1951g LCD Monitor does not require timed responses.	This product may support this standard when used with other products that support the standard.
Where a product utilizes touchscreens or contact-sensitive controls, an input method shall be provided that complies with §1194.23 (k) (1) through (4).	1194.25(c)	Not Applicable. The HP Compaq LA1951g LCD Monitor does not utilize touchscreens or contact-sensitive controls.	This product may support this standard when used with other products that support the standard.
When biometric forms of user identification or control are used, an alternative form of identification or activation, which does not require the user to possess particular biological characteristics, shall also be provided.	1194.25(d)	Not Applicable. The HP Compaq LA1951g LCD Monitor does not use a biometric interface for operation.	This product may support this standard when used with other products that support the standard.
When products provide auditory output, the audio signal shall be provided at a standard signal level through an industry standard connector that will allow for private listening. The product must provide the ability to interrupt, pause, and restart the audio at anytime.	1194.25(e)	Not Applicable. The HP Compaq LA1951g LCD Monitor does not provide auditory output.	This product may support this standard when used with other products that support the standard.
When products deliver			

<p>voice output in a public area, incremental volume control shall be provided with output amplification up to a level of at least 65 dB. Where the ambient noise level of the environment is above 45 dB, a volume gain of at least 20 dB above the ambient level shall be user selectable. A function shall be provided to automatically reset the volume to the default level after every use.</p>	1194.25(f)	<p>Not Applicable. The HP Compaq LA1951g LCD Monitor does not deliver voice output.</p>	<p>This product may support this standard when used with other products that support the standard.</p>
<p>Color coding shall not be used as the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.</p>	1194.25(g)	<p>Supports. The product provides redundant visual cues when color conveys information, indicates action, prompts for responses, or distinguishes visual elements.</p>	<p>The OSD utility uses color, outlining and an arrow to identify the current OSD setting or selection.</p>
<p>When a product permits a user to adjust color and contrast settings, a range of color selections capable of producing a variety of contrast levels shall be provided.</p>	1194.25(h)	<p>Supports. The HP Compaq LA1951g LCD Monitor supports a variety of color and contrast selections.</p>	<p>Contrast is fully adjustable for all color settings, including the "Custom Color" mode which permits user adjustment of red, green and blue over a full range of settings.</p>
<p>Products shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.</p>	1194.25(i)	<p>Supports. The HP Compaq LA1951g LCD Monitor is designed to avoid screen flicker with a frequency greater than 2 Hz and less than 55 Hz.</p>	
<p>Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following:</p>	1194.25(j)	<p>Supports. See §1194.25 (j) (1) through (4) below.</p>	
<p>The position of any operable control shall be determined with respect to a vertical plane, which is</p>		<p>Supports. All operable</p>	

48 inches in length, centered on the operable control, and at the maximum protrusion of the product within the 48 inch length (see Figure 1 of this part).	1194.25 (j.1)	controls meet the specifications in this provision depending on where the customer installs the product.	
Where any operable control is 10 inches or less behind the reference plane, the height shall be 54 inches maximum and 15 inches minimum above the floor.	1194.25 (j.2)	Supports. All operable controls meet the specifications in this provision depending on where the customer installs the product.	
Where any operable control is more than 10 inches and not more than 24 inches behind the reference plane, the height shall be 46 inches maximum and 15 inches minimum above the floor	1194.25 (j.3)	Not Applicable. The HP Compaq LA1951g LCD Monitor does not have operable controls more than 10 inches and less than 24 inches behind the reference plane.	
Operable controls shall not be more than 24 inches behind the reference plane (see Figure 2 of this part).	1194.25 (j.4)	Supports. All operable controls meet the specifications in this provision depending on where the customer installs the product.	
<b>Desktop and Portable Computers</b>			
All mechanically operated controls and keys shall comply with §1194.23 (k) (1) through (4).	1194.26(a)	Partially Supports. Mechanically operated controls and keys comply with §1194.23 (k) (1) through (4), with some exceptions.	OSD buttons are of similar size and spacing. Tactile identification of the OSD buttons may be difficult but is possible after brief training on button functions and relative locations.
If a product utilizes touchscreens or touch-operated controls, an input method shall be provided that complies with §1194.23 (k) (1) through (4).	1194.26(b)	Partially Supports. The product provides redundant controls as an alternate for touchscreens or touch-operated controls. The redundant controls comply with §1194.23 (k) (1) through (4), with some exceptions.	OSD buttons are of similar size and spacing. Tactile identification of the OSD buttons may be difficult but is possible after brief training on button functions and relative locations.
When biometric forms of			

<p>user identification or control are used, an alternative form of identification or activation, which does not require the user to possess particular biological characteristics, shall also be provided.</p>	1194.26(c)	<p>Not Applicable. The product has no biometric forms of user identification or control.</p>	<p>This product may support this standard when used with other products that support the standard.</p>
<p>Where provided, at least one of each type of expansion slots, ports and connectors shall comply with publicly available industry standards.</p>	1194.26(d)	<p>Supports. All ports and connectors on the product are industry standard.</p>	
<p><b>Functional Performance Criteria</b></p>			
<p>At least one mode of operation and information retrieval that does not require user vision shall be provided, or support for Assistive technology used by people who are blind or visually impaired shall be provided.</p>	1194.31(a)	<p>Partially Supports. Some operations and functions for information retrieval in the HP Display Assistant require user vision. These operations and functions may not be available to assistive technology used by people who are blind or visually impaired.</p>	<p>Assistive Technology features are enabled through the device to which the product is attached. The product has a toggle LED and audio indication (button click) for Power-On.</p>
<p>At least one mode of operation and information retrieval that does not require visual acuity greater than 20/70 shall be provided in audio and enlarged print output working together or independently, or support for Assistive technology used by people who are visually impaired shall be provided.</p>	1194.31(b)	<p>Partially Supports. Some operations and functions for information retrieval in the HP Display Assistant require visual acuity greater than 20/70. These operations and functions may not be available to assistive technology used by people who are visually impaired.</p>	<p>Assistive Technology features are enabled through the device to which the product is attached.</p>
<p>At least one mode of operation and information retrieval that does not require user hearing shall be provided, or support for Assistive technology used by people who are deaf or hard of hearing shall be</p>	1194.31(c)	<p>Supports. The product does not require user hearing to operate or retrieve information.</p>	

provided.			
Where audio information is important for the use of a product, at least one mode of operation and information retrieval shall be provided in an enhanced auditory fashion, or support for Assistive hearing devices shall be provided.	1194.31(d)	Not Applicable. Audio information or feedback is not required for operation of this product.	
At least one mode of operation and information retrieval that does not require user speech shall be provided, or support for Assistive technology used by people with disabilities shall be provided.	1194.31(e)	Supports. The product does not require user speech to operate or retrieve information.	
At least one mode of operation and information retrieval that does not require fine motor control or simultaneous actions and that is operable with limited reach and strength shall be provided.	1194.31(f)	Partially Supports. The HP Compaq LA1951g LCD Monitor does not require fine motor control or simultaneous actions, and is operable with limited reach and strength, with some exceptions.	User controls are mounted on the bottom of the front bezel. The HP Display Assistant requires the use of a mouse or other pointing device.
<b>Information, Documentation and Support</b>			
Product support documentation provided to end-users shall be made available in alternate formats upon request, at no additional charge.	1194.41(a)	Supports. End-user documentation is available electronically in formats that can be used by screen readers or printed by Braille embossers.	
End-users shall have access to a description of the accessibility and compatibility features of products in alternate formats or alternate methods upon request, at no additional charge.	1194.41(b)	Supports. Accessibility information is available at <a href="http://www.hp.com/accessibility">www.hp.com/accessibility</a> and/or on the individual product specification sheet listed on <a href="http://www.hp.com">www.hp.com</a> . The accessibility information is available in alternate formats.	
Support services for		Supports. <a href="http://www.hp.com">www.hp.com</a> provides support services in various formats. Support for	

products shall accommodate the communication needs of end-users with disabilities.	1194.41(c)	customers who are deaf or hard of hearing is available using TRS/VRS/WebCapTel at (877) 656-7058, Monday-Friday, 6 a.m. to 9 p.m. Mountain Time.	
--	------------	--	--

\*Supporting features apply to the **HP Compaq LA1951g 19-inch LCD Monitor** product family as a whole. Individual products within this family that do not contain one or more of these features are identified as exceptions in the Remarks column, which may also include notes regarding definition, equivalent facilitation, scope of support, etc. Unless otherwise indicated, operating system information is included if applicable. For information on third party software and applications please contact the software manufacturer.

THE INFORMATION AND MATERIALS PROVIDED IN THIS DOCUMENT ARE "AS IS" WITHOUT WARRANTIES OF ANY KIND INCLUDING WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT OF INTELLECTUAL PROPERTY. HP further does not warrant the accuracy and completeness of the information or materials on this document. The information shall not be construed as product specifications for purposes of any warranty of compliance with product specifications in a given contract or order. HP may make changes to the information on this document or to the products described in them, at any time without notice. The information and materials on this document may be out of date, and HP makes no commitment to update the information and materials.