

As of: 3/25/2010 the **HP Compaq 8100 Elite SFF PC Win7 32 and 64** addresses the Section 508 standards as described in the chart below.

Product: POTDG -- Model:MD44P

Standard	Reference (36CFR)	Supporting Features*	Remarks*
Software Applications and Operating Systems			
<p>When software is designed to run on a system that has a keyboard, product functions shall be executable from a keyboard where the function itself or the result of performing a function can be discerned textually.</p>	1194.21(a)	<p>Supports. Keyboard access exists for functions that can be identified with text labels. A mouse or other pointing device is not required for any of these functions.</p>	<p>The product family supports navigation of application menus from the keyboard and Microsoft Windows Accessibility features including StickyKeys, Filter Keys and ToggleKeys. HP Easy Access Internet buttons adhere to user assignment of shortcut keys.</p>
<p>Applications shall not disrupt or disable activated features of other products that are identified as accessibility features, where those features are developed and documented according to industry standards. Applications also shall not disrupt or disable activated features of any operating system that are identified as accessibility features where the application programming interface for those accessibility features has been documented by the manufacturer of the operating system and is available to the product developer.</p>	1194.21(b)	<p>Supports. The product does not interfere with documented accessibility features of the supported operating systems or other products that follow industry standards. (For example, the application maintains user-defined display settings such as high contrast and keyboard settings such as Sticky Keys.)</p>	
<p>A well-defined on-screen indication of the current focus shall be provided that moves among interactive interface elements as the input focus changes. The focus shall be</p>	1194.21(c)	<p>Supports. The current focus is identified visually through the display and audibly through speech output systems. Assistive technology can track the focus as it changes. (For example, when the application runs with a</p>	

<p>programmatically exposed so that Assistive technology can track focus and focus changes.</p>		<p>screen enlargement program, the magnified area moves to follow changes in the focus.)</p>	
<p>Sufficient information about a user interface element including the identity, operation and state of the element shall be available to Assistive technology. When an image represents a program element, the information conveyed by the image must also be available in text.</p>	1194.21(d)	<p>Supports. Information about user interface elements is made available to assistive technology. Text equivalents for program element images are available for applications that adhere to standard Windows Application Programming Interfaces (APIs).</p>	
<p>When bitmap images are used to identify controls, status indicators, or other programmatic elements, the meaning assigned to those images shall be consistent throughout an application's performance.</p>	1194.21(e)	<p>Supports. Images used to identify programmatic elements have consistent meaning throughout the application.</p>	
<p>Textual information shall be provided through operating system functions for displaying text. The minimum information that shall be made available is text content, text input caret location, and text attributes.</p>	1194.21(f)	<p>Supports. The product uses the functions provided by the supported operating systems when displaying text (text content, text input caret location, and text attributes), adhering to standard Windows Application Programming Interfaces (APIs).</p>	
<p>Applications shall not override user selected contrast and color selections and other individual display attributes</p>	1194.21(g)	<p>Supports. The product maintains user selected contrast and color selections and other individual display attributes set through supported operating systems. (For example, if users set their system display settings to high contrast, the software can display all items in high contrast.)</p>	
<p>When animation is displayed, the</p>		<p>Supports. The product</p>	

information shall be displayable in at least one non-animated presentation mode at the option of the user.	1194.21(h)	provides the option of displaying animated information in a non-animated mode.	
Color coding shall not be used as the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.	1194.21(i)	Supports. The product provides redundant visual cues when color conveys information, indicates action, prompts for responses, or distinguishes visual elements. (For example, text labels are used with colors to indicate actions.)	The "BIOS POST" error messages are conveyed using blinking red LEDs with audible beeps from the system speaker.
When a product permits a user to adjust color and contrast settings, a variety of color selections capable of producing a range of contrast levels shall be provided.	1194.21(j)	Supports. The product supports a variety of color and contrast selections through the supported operating systems.	This hardware product is bundled with a Microsoft operating system and various Microsoft applications. Please visit the Microsoft website to obtain VPAT information related to these products. http://www.microsoft.com/industry/government/products/section508.msp
Software shall not use flashing or blinking text, objects, or other elements having a flash or blink frequency greater than 2 Hz and lower than 55 Hz.	1194.21(k)	Supports. The product does not use elements that flash or blink at frequencies greater than 2 Hz and less than 55 Hz.	
When electronic forms are used, the form shall allow people using Assistive technology to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues.	1194.21(l)	Supports. Assistive technology can access the information and functions required for completion and submission of electronic forms contained in the application.	
Web-based Intranet and Internet Information and Applications			
A text equivalent for every non-text element shall be provided (e.g., via "alt", "longdesc", or in element	1194.22(a)	Supports. Text equivalents exist for every non-text element that is required to comprehend content or to facilitate navigation.	

content).			
Equivalent alternatives for any multimedia presentation shall be synchronized with the presentation.	1194.22(b)	Not Applicable. The product does not have multimedia presentations.	The product may support this standard when used with other products that meet this standard. This hardware product is bundled with a Microsoft operating system and various Microsoft applications. Please visit the Microsoft website to obtain VPAT information related to these products. http://www.microsoft.com/industry/government/products/section508.msp
Web pages shall be designed so that all information conveyed with color is also available without color, for example from context or markup.	1194.22(c)	Not Applicable. The product does not have web pages that use color to convey information.	The product may support this standard when used with other products that meet this standard. This hardware product is bundled with a Microsoft operating system and various Microsoft applications. Please visit the Microsoft website to obtain VPAT information related to these products. http://www.microsoft.com/industry/government/products/section508.msp
Documents shall be organized so they are readable without requiring an associated style sheet	1194.22(d)	Not Applicable. The product does not run inside a web browser.	The product may support this standard when used with other products that meet this standard. This hardware product is bundled with a Microsoft operating system and various Microsoft applications. Please visit the Microsoft website to obtain VPAT information related to these products. http://www.microsoft.com/industry/government/products/section508.msp
Redundant text links shall be provided for each active region of a server-side image map	1194.22(e)	Not Applicable. The product does not have server-side image maps with active regions.	The product may support this standard when used with other products that meet this standard. This hardware product is bundled with a Microsoft operating system and various Microsoft applications. Please visit the Microsoft website to obtain VPAT information related to these products. http://www.microsoft.com/industry/government/products/section508.msp
Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape.	1194.22(f)	Not Applicable. The product does not have image maps.	The product may support this standard when used with other products that meet this standard. This hardware product is bundled with a Microsoft operating system and various Microsoft applications. Please visit the Microsoft website to obtain VPAT information related to these products. http://www.microsoft.com/industry/government/products/section508.msp
Row and column headers shall be identified for data tables.	1194.22(g)	Not Applicable. The product does not have data tables.	The product may support this standard when used with other products that meet this standard. This hardware product is bundled with a Microsoft operating system and various Microsoft applications. Please visit the Microsoft website to obtain VPAT information related to these products. http://www.microsoft.com/industry/government/products/section508.msp
Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers.	1194.22(h)	Not Applicable. The product does not have complex data tables.	The product may support this standard when used with other products that meet this standard. This hardware product is bundled with a Microsoft operating system and various Microsoft applications. Please visit the Microsoft website to obtain VPAT information related to these products. http://www.microsoft.com/industry/government/products/section508.msp
Frames shall be titled with text that facilitates frame identification and navigation.	1194.22(i)	Not Applicable. The product does not have frames.	The product may support this standard when used with other products that meet this standard. This hardware product is bundled with a Microsoft operating system and various Microsoft applications. Please visit the Microsoft website to obtain VPAT information related to these products. http://www.microsoft.com/industry/government/products/section508.msp
Pages shall be designed to avoid			The product may support this standard when used with other products

<p>causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.</p>	<p>1194.22(j)</p>	<p>Not Applicable. The product does not have web pages.</p>	<p>that meet this standard. This hardware product is bundled with a Microsoft operating system and various Microsoft applications. Please visit the Microsoft website to obtain VPAT information related to these products. http://www.microsoft.com/industry/government/products/section508.mspx</p>
<p>A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when compliance cannot be accomplished in any other way. The content of the text-only page shall be updated whenever the primary page changes.</p>	<p>1194.22(k)</p>	<p>Not Applicable. The product does not have web pages.</p>	<p>The product may support this standard when used with other products that meet this standard. This hardware product is bundled with a Microsoft operating system and various Microsoft applications. Please visit the Microsoft website to obtain VPAT information related to these products. http://www.microsoft.com/industry/government/products/section508.mspx</p>
<p>When pages utilize scripting languages to display content, or to create interface elements, the information provided by the script shall be identified with functional text that can be read by Assistive technology.</p>	<p>1194.22(l)</p>	<p>Not Applicable. The product does not use scripting languages to display content or create interface elements.</p>	<p>The product may support this standard when used with other products that meet this standard. This hardware product is bundled with a Microsoft operating system and various Microsoft applications. Please visit the Microsoft website to obtain VPAT information related to these products. http://www.microsoft.com/industry/government/products/section508.mspx</p>
<p>When a web page requires that an applet, plug-in or other application be present on the client system to interpret page content, the page must provide a link to a plug-in or applet that complies with §1194.21(a) through (l).</p>	<p>1194.22 (m)</p>	<p>Not Applicable. The product does not have web pages that require the use of applets, plug-ins or other similar applications.</p>	<p>The product may support this standard when used with other products that meet this standard. This hardware product is bundled with a Microsoft operating system and various Microsoft applications. Please visit the Microsoft website to obtain VPAT information related to these products. http://www.microsoft.com/industry/government/products/section508.mspx</p>
<p>When electronic forms are designed to be completed on-line, the form shall allow people using Assistive technology to access the information, field elements, and functionality required for completion and submission of the</p>	<p>1194.22(n)</p>	<p>Supports. Assistive technology can access the information and functions required for completion and submission of electronic forms designed to be completed on-line.</p>	

form, including all directions and cues.			
A method shall be provided that permits users to skip repetitive navigation links.	1194.22(o)	Not Applicable. The product does not have repetitive navigation links.	The product may support this standard when used with other products that meet this standard. This hardware product is bundled with a Microsoft operating system and various Microsoft applications. Please visit the Microsoft website to obtain VPAT information related to these products. http://www.microsoft.com/industry/government/products/section508.mspx
When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.	1194.22(p)	Not Applicable. The product does not require timed responses.	The product may support this standard when used with other products that meet this standard. This hardware product is bundled with a Microsoft operating system and various Microsoft applications. Please visit the Microsoft website to obtain VPAT information related to these products. http://www.microsoft.com/industry/government/products/section508.mspx
Telecommunications Products			
Telecommunications products or systems which provide a function allowing voice communication and which do not themselves provide a TTY functionality shall provide a standard non-acoustic connection point for TTYs. Microphones shall be capable of being turned on and off to allow the user to intermix speech with TTY use.	1194.23(a)	Not Applicable. The product is not a telecommunications product or system that provides a function allowing voice communication or TTY functionality.	This product may support this standard when used with other products that meet this standard. If this product will be used as part of a telecommunications system, please contact HP for additional information.
Telecommunications products which include voice communication functionality shall support all commonly used cross-manufacturer non-proprietary standard TTY signal protocols.	1194.23(b)	Not Applicable. The product is not a telecommunications product that provides voice communication functionality.	This product may support this standard when used with other products that meet this standard. If this product will be used as part of a telecommunications system, please contact HP for additional information.
Voice mail, auto-attendant, and interactive voice response telecommunications systems shall be usable by TTY users with their TTYs.	1194.23(c)	Not Applicable. The product is not a telecommunications system that provides voice mail, auto attendant, or interactive voice response.	This product may support this standard when used with other products that meet this standard. If this product will be used as part of a telecommunications system, please contact HP for additional information.
Voice mail, messaging, auto-attendant, and interactive voice response telecommunications systems that require		Not Applicable. The	

<p>a response from a user within a time interval, shall give an alert when the time interval is about to run out, and shall provide sufficient time for the user to indicate more time is required.</p>	<p>1194.23(d)</p>	<p>product is not a telecommunications system that provides voice mail, auto attendant, or interactive voice response requiring timed responses.</p>	<p>This product may support this standard when used with other products that meet this standard. If this product will be used as part of a telecommunications system, please contact HP for additional information.</p>
<p>Where provided, caller identification and similar telecommunications functions shall also be available for users of TTYs, and for users who cannot see displays.</p>	<p>1194.23(e)</p>	<p>Not Applicable. The product does not have caller identification or similar telecommunications functions.</p>	<p>This product may support this standard when used with other products that meet this standard. If this product will be used as part of a telecommunications system, please contact HP for additional information.</p>
<p>For transmitted voice signals, telecommunications products shall provide a gain adjustable up to a minimum of 20 dB. For incremental volume control, at least one intermediate step of 12 dB of gain shall be provided.</p>	<p>1194.23(f)</p>	<p>Not Applicable. The product is not a telecommunications product that provides voice signals.</p>	<p>This product may support this standard when used with other products that meet this standard. If this product will be used as part of a telecommunications system, please contact HP for additional information.</p>
<p>Requires that an automatic reset be installed on any telephone that allows the user to adjust the volume higher than the normal level. This is a safety feature to protect people from suffering damage to their hearing if they accidentally answer a telephone with the amplification turned too high</p>	<p>1194.23(g)</p>	<p>Not Applicable. The product does not have a telephone that allows users to adjust volume.</p>	<p>This product may support this standard when used with other products that meet this standard. If this product will be used as part of a telecommunications system, please contact HP for additional information.</p>
<p>Where a telecommunications product delivers output by an audio transducer which is normally held up to the ear, a means for effective magnetic wireless coupling to hearing technologies shall be provided</p>	<p>1194.23(h)</p>	<p>Not Applicable. The product is not a telecommunications product that delivers output by an audio transducer held to the ear.</p>	<p>This product may support this standard when used with other products that meet this standard. If this product will be used as part of a telecommunications system, please contact HP for additional information.</p>
<p>Interference to</p>			

<p>hearing technologies (including hearing aids, cochlear implants, and Assistive listening devices) shall be reduced to the lowest possible level that allows a user of hearing technologies to utilize the telecommunications product.</p>	<p>1194.23(i)</p>	<p>Not Applicable. The product is not a telecommunications product.</p>	<p>This product may support this standard when used with other products that meet this standard. If this product will be used as part of a telecommunications system, please contact HP for additional information.</p>
<p>Products that transmit or conduct information or communication, shall pass through cross-manufacturer, non-proprietary, industry-standard codes, translation protocols, formats or other information necessary to provide the information or communication in a usable format. Technologies which use encoding, signal compression, format transformation, or similar techniques shall not remove information needed for access or shall restore it upon delivery.</p>	<p>1194.23(j)</p>	<p>Not Applicable. The product is not a telecommunications product.</p>	<p>This product may support this standard when used with other products that meet this standard. If this product will be used as part of a telecommunications system, please contact HP for additional information.</p>
<p>Controls and keys shall be tactilely discernible without activating the controls or keys</p>	<p>1194.23 (k.1)</p>	<p>Supports. Individual controls and keys can be located and distinguished from adjacent keys by touch, without activating functions.</p>	<p>The "F" and "J" keys on the keyboard and the "5" key on the numeric keypad have raised marks. Controls and drives are located on the front of the product for easy access. The "eject" button for removable storage protrudes beyond the system cabinet sufficiently to provide clearance for actuation. This product supports the use of a mouse to eject software CDs.</p>
<p>Controls and keys shall be operable with one hand and shall not require tight grasping, pinching, or twisting of the wrist. The force required to activate controls and keys shall be 5 lbs. (22.2 N) maximum.</p>	<p>1194.23 (k.2)</p>	<p>Supports. Controls, keys and latches are operable with one hand and do not require tight grasping, pinching or twisting of the wrist. The force required to activate controls, keys and latches is less than 5 lbs.</p>	<p>For one-handed "Power-Off", depress the Power button for 5 to 10 seconds. All external drive bays and headphone and microphone jacks are located on the front of the product.</p>
<p>If key repeat is supported, the</p>		<p>Supports. The time delay</p>	

<p>delay before repeat shall be adjustable to at least 2 seconds. Key repeat rate shall be adjustable to 2 seconds per character.</p>	<p>1194.23 (k.3)</p>	<p>between key repeats is adjustable to at least 2 seconds. The length of time the key can be held down before it starts repeating is adjustable to 2 seconds.</p>	
<p>The status of all locking or toggle controls or keys shall be visually discernible, and discernible either through touch or sound.</p>	<p>1194.23 (k.4)</p>	<p>Supports. The status of locking and toggle controls or keys is displayed visually, as well as tactilely or audibly when activated.</p>	<p>The product has toggle LED indication for "Caps Lock", "Numlock" and "Scroll Lock" functions. Applications that use toggle keys provide audio indication through Microsoft SoundSentry when the toggle keys have been activated or deactivated. When the product is powered on an LED indicator displays and an audible click can be heard.</p>
<p>Video and Multimedia Products</p>			
<p>All analog television displays 13 inches and larger, and computer equipment that includes analog television receiver or display circuitry, shall be equipped with caption decoder circuitry which appropriately receives, decodes, and displays closed captions from broadcast, cable, videotape, and DVD signals. As soon as practicable, but not later than July 1, 2002, widescreen digital television (DTV) displays measuring at least 7.8 inches vertically, DTV sets with conventional displays measuring at least 13 inches vertically, and stand-alone DTV tuners, whether or not they are marketed with display screens, and computer equipment that includes DTV receiver or display circuitry, shall be equipped with caption decoder circuitry which appropriately</p>	<p>1194.24(a)</p>	<p>Not Applicable. The product does not have analog television receiver or display circuitry.</p>	<p>This product may support this standard when used with other products that meet this standard.</p>

receives, decodes, and displays closed captions from broadcast, cable, videotape, and DVD signals.			
Television tuners, including tuner cards for use in computers, shall be equipped with secondary audio program playback circuitry.	1194.24(b)	Not Applicable. The product does not have tuner capabilities.	This product may support this standard when used with other products that meet this standard.
All training and informational video and multimedia productions which support the agency's mission, regardless of format, that contain speech or other audio information necessary for the comprehension of the content, shall be open or closed captioned	1194.24(c)	Not Applicable. The product does not have training or informational productions containing audio.	This product may support this standard when used with other products that meet this standard.
All training and informational video and multimedia productions which support the agency's mission, regardless of format, that contain visual information necessary for the comprehension of the content, shall be audio described.	1194.24(d)	Not Applicable. The product does not have training or informational video or multimedia productions.	This product may support this standard when used with other products that meet this standard.
Display or presentation of alternate text presentation or audio descriptions shall be user-selectable unless permanent.	1194.24(e)	Not Applicable. The product does not have alternate text or audio descriptions.	This product may support this standard when used with other products that meet this standard.
Self Contained, Closed Products			
Self contained products shall be usable by people with disabilities without requiring an end-user to attach Assistive technology to the product. Personal headsets for private	1194.25(a)	Not Applicable. The product is not a self-contained product.	The product may support this standard when used with other products that meet this standard. If this product will be used as part of a self-contained or closed product, please contact HP for additional information.

listening are not Assistive technology.			
When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.	1194.25(b)	Not Applicable. The product does not require timed responses.	The product may support this standard when used with other products that meet this standard. If this product will be used as part of a self-contained or closed product, please contact HP for additional information. This hardware product is bundled with a Microsoft operating system and various Microsoft applications. Please visit the Microsoft website to obtain VPAT information related to these products. http://www.microsoft.com/industry/government/products/section508.msp
Where a product utilizes touchscreens or contact-sensitive controls, an input method shall be provided that complies with §1194.23 (k) (1) through (4).	1194.25(c)	Not Applicable. The product does not utilize touchscreens or contact-sensitive controls.	The product may support this standard when used with other products that meet this standard. If this product will be used as part of a self-contained or closed product, please contact HP for additional information.
When biometric forms of user identification or control are used, an alternative form of identification or activation, which does not require the user to possess particular biological characteristics, shall also be provided.	1194.25(d)	Not Applicable. The product does not use a biometric interface for operation.	The product may support this standard when used with other products that meet this standard. If this product will be used as part of a self-contained or closed product, please contact HP for additional information.
When products provide auditory output, the audio signal shall be provided at a standard signal level through an industry standard connector that will allow for private listening. The product must provide the ability to interrupt, pause, and restart the audio at anytime.	1194.25(e)	Supports. The product provides audio signals at a standard level through a standard connector, for use with personal headphones, amplifiers, audio couplers, and other audio processing devices. The audio can be interrupted, paused, and restarted at anytime.	If this product will be used as part of a self-contained or closed product, please contact HP for additional information.
When products deliver voice output in a public area, incremental volume control shall be provided with output amplification up to a level of at least 65 dB. Where the ambient noise level of the environment	1194.25(f)	Not Applicable. The product does not deliver	The product may support this standard when used with other products that meet this standard. If this product will be used as part of a self-

<p>is above 45 dB, a volume gain of at least 20 dB above the ambient level shall be user selectable. A function shall be provided to automatically reset the volume to the default level after every use.</p>		<p>voice output.</p>	<p>contained or closed product, please contact HP for additional information.</p>
<p>Color coding shall not be used as the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.</p>	<p>1194.25(g)</p>	<p>Supports. The product provides redundant visual cues when color conveys information, indicates action, prompts for responses, or distinguishes visual elements. (For example, text labels are used with colors to indicate actions.)</p>	
<p>When a product permits a user to adjust color and contrast settings, a range of color selections capable of producing a variety of contrast levels shall be provided.</p>	<p>1194.25(h)</p>	<p>Supports. The product supports a variety of color and contrast selections.</p>	
<p>Products shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.</p>	<p>1194.25(i)</p>	<p>Supports. The product is designed to avoid screen flicker with a frequency greater than 2 Hz and less than 55 Hz.</p>	
<p>Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following:</p>	<p>1194.25(j)</p>	<p>Supports. See §1194.25(j) (1) through (4) below.</p>	
<p>The position of any operable control shall be determined with respect to a vertical plane, which is 48 inches in length, centered on the operable control, and at the maximum protrusion of the product within the</p>	<p>1194.25(j.1)</p>	<p>Supports. Operable controls meet the specifications in this provision depending on where the customer installs the product.</p>	

48 inch length (see Figure 1 of this part).			
Where any operable control is 10 inches or less behind the reference plane, the height shall be 54 inches maximum and 15 inches minimum above the floor.	1194.25 (j.2)	Supports. Operable controls meet the specifications in this provision depending on where the customer installs the product.	
Where any operable control is more than 10 inches and not more than 24 inches behind the reference plane, the height shall be 46 inches maximum and 15 inches minimum above the floor	1194.25 (j.3)	Supports. Operable controls meet the specifications in this provision depending on where the customer installs the product.	
Operable controls shall not be more than 24 inches behind the reference plane (see Figure 2 of this part).	1194.25 (j.4)	Supports. Operable controls meet the specifications in this provision depending on where the customer installs the product.	
Desktop and Portable Computers			
All mechanically operated controls and keys shall comply with §1194.23 (k) (1) through (4).	1194.26(a)	Supports. All mechanically operated controls and keys support §1194.23 (k) (1) through (4).	
If a product utilizes touchscreens or touch-operated controls, an input method shall be provided that complies with §1194.23 (k) (1) through (4).	1194.26(b)	Not Applicable. The product does not utilize touchscreens or touch-operated controls.	
When biometric forms of user identification or control are used, an alternative form of identification or activation, which does not require the user to possess particular biological	1194.26(c)	Not Applicable. The product does not use a biometric interface for operation.	

characteristics, shall also be provided.			
Where provided, at least one of each type of expansion slots, ports and connectors shall comply with publicly available industry standards.	1194.26(d)	Supports. The product provides industry-standard expansion slots, ports and/or connectors (including headphone jack).	
Functional Performance Criteria			
At least one mode of operation and information retrieval that does not require user vision shall be provided, or support for Assistive technology used by people who are blind or visually impaired shall be provided.	1194.31(a)	Partially Supports. Some operations and functions for information retrieval require user vision. These operations and functions may not be available to assistive technology used by people who are blind or visually impaired.	HP supports the following Assistive Technology to provide a mode of operation and information retrieval for people who are blind or visually impaired: Opera v10 for Windows, IBM Home Page Reader v3.0, Dragon Naturally Speaking Preferred v9.5 (this software doesn't support Windows 7 64-bit), Freedom Scientific JAWS v10.0.1151, GW Micro Window-Eyes v7.01 demo. The BIOS password gives an audible prompt when waiting for input.
At least one mode of operation and information retrieval that does not require visual acuity greater than 20/70 shall be provided in audio and enlarged print output working together or independently, or support for Assistive technology used by people who are visually impaired shall be provided.	1194.31(b)	Partially Supports. Some operations and functions for information retrieval require visual acuity greater than 20/70. These operations and functions may not be available to assistive technology used by people who are visually impaired.	HP supports 3rd party Assistive Technology to provide a mode of operation and information retrieval for people with visual acuity less than 20/70: MS Magnifier, Freedom Scientific MAGic v11.0.2109
At least one mode of operation and information retrieval that does not require user hearing shall be provided, or support for Assistive technology used by people who are deaf or hard of hearing shall be provided.	1194.31(c)	Supports. This product does not require user hearing for operation or information retrieval.	
Where audio information is			

<p>important for the use of a product, at least one mode of operation and information retrieval shall be provided in an enhanced auditory fashion, or support for Assistive hearing devices shall be provided.</p>	<p>1194.31(d)</p>	<p>Partially Supports. Some important audio information cannot be enhanced and may not be available to assistive hearing devices.</p>	<p>HP supports the following to provide audio enhancement and support for assistive hearing: Opera v10 for Windows, IBM Home Page Reader v3.0, GW Window-Eyes v7.1 demo, and Freedom Scientific Jaws v10.0.1151. Volume level is selectable and a headphone jack is accessible on the front of the product.</p>
<p>At least one mode of operation and information retrieval that does not require user speech shall be provided, or support for Assistive technology used by people with disabilities shall be provided.</p>	<p>1194.31(e)</p>	<p>Supports. The product does not require user speech for operation or information retrieval.</p>	
<p>At least one mode of operation and information retrieval that does not require fine motor control or simultaneous actions and that is operable with limited reach and strength shall be provided.</p>	<p>1194.31(f)</p>	<p>Supports. The product does not require fine motor control or simultaneous actions. The product is operable with limited reach and strength.</p>	<p>HP supports the following Assistive Technology for this purpose: Dragon Naturally Speaking Preferred v9.5 (this software doesn't support Windows 7 64-bit), Madentec Screendoors 2000 2.30, Headmaster Plus, Tracker 2000, Wisp 2000, Madentec Magic Cursor 2000 v2.30, and Keybowl Orbitouch Keyboard.</p>
<p>Information, Documentation and Support</p>			
<p>Product support documentation provided to end-users shall be made available in alternate formats upon request, at no additional charge.</p>	<p>1194.41(a)</p>	<p>Supports. End-user documentation is available electronically in formats that can be used by screen readers or printed by Braille embossers.</p>	
<p>End-users shall have access to a description of the accessibility and compatibility features of products in alternate formats or alternate methods upon request, at no additional charge.</p>	<p>1194.41(b)</p>	<p>Supports. Accessibility information is available at www.hp.com/accessibility and/or on the individual product specification sheet listed on www.hp.com. The accessibility information is available in alternate formats.</p>	
<p>Support services</p>		<p>Supports. www.hp.com provides support services in accessible formats.</p>	

for products shall accommodate the communication needs of end-users with disabilities.	1194.41(c)	Support for customers who are deaf or hard of hearing is available using TRS/VRS/WebCapTel at (877) 656-7058, Monday-Friday, 6 a.m. to 9 p.m. Mountain Time.
--	------------	--

*Supporting features apply to the **HP Compaq 8100 Elite SFF PC Win7 32 and 64** product family as a whole. Individual products within this family that do not contain one or more of these features are identified as exceptions in the Remarks column, which may also include notes regarding definition, equivalent facilitation, scope of support, etc. Unless otherwise indicated, operating system information is included if applicable. For information on third party software and applications please contact the software manufacturer.

THE INFORMATION AND MATERIALS PROVIDED IN THIS DOCUMENT ARE "AS IS" WITHOUT WARRANTIES OF ANY KIND INCLUDING WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT OF INTELLECTUAL PROPERTY. HP further does not warrant the accuracy and completeness of the information or materials on this document. The information shall not be construed as product specifications for purposes of any warranty of compliance with product specifications in a given contract or order. HP may make changes to the information on this document or to the products described in them, at any time without notice. The information and materials on this document may be out of date, and HP makes no commitment to update the information and materials.