Chem 101- Midterm #2 is on Friday, Feb 16, 2007. Test #2 will focus on Chapters 4-5(not including redox balancing)

Use this test to practice "time management" during the actual examination.

It is important to review earlier chapters like nomenclature, .density, empirical formula determination. It is particularly useful to be very good at writing ionic compound formulas. That means that you already know the polyatomic ions and their charges, right?? If you are still slow in that, be prepared to be also slow during the test. Which means be prepared to be rushed and make silly mistakes at a time when you will be graded! Might as well throw away those valuable points. Unless of course you are really interested in learning some chemistry.

Remember that you are expected to still know chapters 1-3 very well. If needed, an activity table will be supplied. No table of solubilities will be supplied. (It is assumed that you know the table of solubilities!). Bring your own scantron. Know your assigned seating.

It is suggested you consult with your study group outside of class time to go over this test AFTER you have tried it alone by yourself. That way, you can explore different approaches to problem-solving. It is important to learn how to approach questions like the ones below rather than memorizing solutions to specific problems. Remember that the actual test will probably differ significantly from the questions given below.

It should be clear to all students that it is not enough to be able to do the homework problems. Try the exercises within the chapter. The midterm will check if you know a lot more BEYOND the basic concepts.

Some comments on the chapters:

Chapter 4: Stoichiometry

- 1) Be able to recognize and name the various types of reactions. Balance equations including redox reactions. Review step by step how you balance a complete redox reaction.
- 2) Be prepared for stoichiometric calculations involving conversions from grams of reactants to grams of product. Know how to determine % yield and how to determine limiting reactants. Know when to use Avogadro's number. (Don't be one of those who keep using it without thinking! To avoid needless calculations, do a"concept map" when you do calculations. After a while you won't need to do it.)
- 3) Know the solubility rules in your textbook. Be able to predict if a precipitation reaction will occur. Be able to write both the full and the net ionic equations. Be very familiar with concentration s and solutions. This smacks of the "m" word. Sorry, that I am asking you to "memorize" these rules. It's for your own good.
- 4) Acid-Base: Be able to do calculations involving acid-base <u>titrations</u>. What is an "equivalent"? How many equivalents of H₂SO₄ are in 2.5 moles of H₂SO₄? Practice with monoprotic, diprotic and triprotic acids. Determine [analyte] given the equivalence point, [titrant] and the volume of the analyte. Be able to determine [analyte] when specific volumes of titrant are added to the analyte. (before and after the equivalence point). Be sure you can do all this. For those of you who like to cram, a word of advice. Who are you kidding???? You will use these calculations many times over. This is the time to learn it right from day 1. Resist bad habits and sloppy thinking. If you can do titration calculation titrations correctly, future calculations will be much more interesting and rewarding. Of course, some of you people already find it awesome!

5) Redox: Be able to determine oxidation numbers, recognize redox reactions and determine whether a redox reaction will occur or not based on the activity table. Know the terminology: oxidant, reductant, oxidation, reduction, etc.

Sample problems:

- 1) How many grams of sodium carbonate are needed to make a 250. mL solution which contains .14 M of sodium ions. (Use atomic wts: Na = 23.0; C = 12.0, O = 16.0; Note that atomic wt of $Na^+ =$ same as that of Na)
- 2) Indicate which of the following aqueous solutions are expected to react. Write down the chemical equations explicitly to show the reaction. If there is a gas forming by some secondary reaction, make sure you indicate that. If they do react, write down the chemical formula of the expected products:
 - a) sodium sulfate & barium chloride. React? ____(yes/no) If so, product(s): __, ____.
 - b) silver chloride & potassium nitrate. React? ___ (yes/no) If so, product(s): ____, __.
 - c) Lead acetate & ammonium iodide. React? ____ (yes/no) If so, product(s): _ , _____.
 - d) sulfuric acid and sodium hydrogen carbonate? _____ (yes/no) If so, product(s): _ , _____.
- 3) Which of the following are redox reactions? Acid base reactions? **Be able to balance at least the non-redox reactions**.
 - a) $Cu^{2+}(aq) + Ag(s) --> Cu(s) + Ag^{+}(aq)$ Redox? _____ (yes/no)
 - b) metathesis reactions in general. Redox? _____ (yes/no)
 - c) VO₂ (s) + HNO₃(aq) --> V(NO₃)₅(aq) + NO₂(g) Redox? _____ (yes/no)
 - d) CH4 + O2-->CO + H2O Redox? ____ (yes/no)
 - e) $H_2CO_3 + NaCl --> Na_2CO_3 + HCl$ Redox? ____ (yes/no)
 - f) $H_2CO_3 \rightarrow H_2O + CO_2$? Redox? _____ (yes/no)
- 4) Write <u>balanced</u> equations for the following reactions:
- a) phosphoric acid with sodium bicarbonate: (exchange reacion)
- b) ammonium sulfate with barium nitrate: (exchange reacion)
- c) sodium oxalate reacts with potassium permanganate (KMnO₄) to form CO₂ and Mn²⁺ (among other things). Write in the missing elements. Write the half reactions, balance them and then add them together to form the full net ionic equation.
- 5) Titration of a 25.0 mL NaOH solution requires 15.0 mLs of 0.25 M sulfuric acid to reach equivalence.
 - a) What is the concentration of the original NaOH solution?
 - b) What would be the concentration of NaOH be after the first 10.0 mLs of the sulfuric acid were added?
- 6) 18 M sulfuric acid solution has a solution density of 1.48 g/mL. Suppose that a diluted acid solution was prepared by adding 25.0 grams of the above concentrated acid to enough water to make a total of 500.0mLs of diluted acid.
 - a) What is the molarity of the diluted H₂SO₄ solution?
 - (b) How many mLs of a 5% (mass%) NaOH is required to titrate 50.0 mLs of this diluted acid to the equivalence point? (Note that the density of the NaOH solution is 1.10 g/mL) Use atomic wts (in g/mol): Na=23.0, O=16.0, H=1.0.

- 7) 6.0 moles of N₂ are mixed with 12.0 moles of H₂ according to the following equation: N₂ (g) + 3 H₂ (g) --> 2 NH₃ (g)
- a) Which chemical is in excess and by how many grams?
- b)What is the theoretical yield of NH3 is produced?
- c) If the percent yield of NH3 is 80%, how many moles of NH3 are actually produced?
- d) How many grams of ammonia (NH3) will be produced at 80% yield?
- e) How many molecules of ammonia (NH3) will be produced at 80% yield?
- f) What volume of ammonia will be produced at 80% yield if its gas density is 0.76 g/L?
- 8) Copper metal can react completely with $\,$ nitric acid to form a blue solution containing the products: copper(II) nitrate, a brown gas known to be nitrogen dioxide and $\,$ liquid water. If $0.15\,$ cm 3 of copper metal are reacted with excess nitric acid, how many liters of the brown gas do you expect to produce if the actual yield is 70%? (Note density, ρ :Cu = 8.95 g/cm 3 ; NO₂ gas = 2.05 g/L)

The balanced equation for this reaction is : $Cu + 4 HNO_3 \rightarrow Cu(NO_3)_2 + 2NO_2 + 2H_2O$

9) If 16.0 mLs of H₂C₂O₄ are needed to completely neutralize (i.e. titrate) 20.0 mLs of 0.400M KOH to the endpoint, what is [H₂C₂O₄] initially?

What is [KOH] after only 5.0 mLs of the acid are added.