


Math 4740
Homework 5
Solutions



① $n = 15$ flips

$p = \frac{1}{2}$ (probability of getting heads)

(a) $E[\bar{X}] = np = \frac{15}{2} = 7.5$

(b) $P(\bar{X}=3) = \binom{15}{3} \cdot \left(\frac{1}{2}\right)^3 \cdot \left(1-\frac{1}{2}\right)^{15-3}$

$$= \frac{15!}{3!12!} \cdot \frac{1}{2^3} \cdot \frac{1}{2^{12}} = \frac{15 \cdot 14 \cdot 13 \cdot 12!}{6 \cdot 12!} \cdot \frac{1}{2^{15}}$$

$$= \frac{455}{32,768} \approx 0.0138855\dots$$

(c) $P(\bar{X} \leq 2) = P(\bar{X}=0) + P(\bar{X}=1) + P(\bar{X}=2)$

$$= \binom{15}{0} \cdot \left(\frac{1}{2}\right)^0 \underbrace{\left(\frac{1}{2}\right)^{15}}_{\left(1-\frac{1}{2}\right)^{15}} + \binom{15}{1} \cdot \left(\frac{1}{2}\right)^1 \cdot \underbrace{\left(\frac{1}{2}\right)^{14}}_{\left(1-\frac{1}{2}\right)^{14}} + \binom{15}{2} \cdot \left(\frac{1}{2}\right)^2 \cdot \underbrace{\left(\frac{1}{2}\right)^{13}}_{\left(1-\frac{1}{2}\right)^{13}}$$

$$= 1 \cdot \frac{1}{2^{15}} + 15 \cdot \frac{1}{2^{15}} + 105 \cdot \frac{1}{2^{15}}$$

$$= \frac{121}{32,768} \approx 0.00369263\dots$$

(d) We want $P(X \geq 2)$.

This would involve calculating

$$P(X \geq 2) = P(X=2) + P(X=3) + \dots + P(X=15)$$

It's easier to calculate

$$P(X \geq 2) = 1 - P(X < 2)$$

$$= 1 - P(X=0) - P(X=1)$$

$$= 1 - \binom{15}{0} \cdot \left(\frac{1}{2}\right)^0 \cdot \left(\frac{1}{2}\right)^{15} - \binom{15}{1} \cdot \left(\frac{1}{2}\right)^1 \cdot \left(\frac{1}{2}\right)^{14}$$

$$= 1 - 1 \cdot \frac{1}{2^{15}} - 15 \cdot \frac{1}{2^{15}}$$

$$= 1 - \frac{16}{2^{15}}$$

$$= \frac{32,752}{32,768} \approx 0.999512$$

(2)

 $n = 10$ rolls of the dice

$$P = \underbrace{\frac{6}{36}}_{\text{probability of rolling a 7}} + \underbrace{\frac{2}{36}}_{\text{probability of rolling an 11}} = \frac{8}{36} = \frac{2}{9} \leftarrow \text{probability of rolling 7 or 11.}$$

$$(a) E[\bar{x}] = np = 10 \cdot \left(\frac{2}{9}\right) = \boxed{\frac{20}{9}} \approx \boxed{2.22}$$

$$(b) P(\bar{x}=5) = \binom{10}{5} \cdot \left(\frac{2}{9}\right)^5 \cdot \left(1 - \frac{2}{9}\right)^{10-5}$$

$$= \frac{10!}{5!5!} \cdot \frac{2^5}{9^5} \cdot \frac{7^5}{9^5} = \frac{10 \cdot 9 \cdot 8 \cdot 7 \cdot 6 \cdot 5!}{120 \cdot 5!} \cdot \frac{2^5 \cdot 7^5}{9^{10}}$$

$$= 252 \cdot \frac{32 \cdot 16,807}{3,486,784,401}$$

$$= \boxed{\frac{135,531,648}{3,486,784,401}} \approx \boxed{0.03887\dots}$$

③

$$n = 10$$

$$P = \frac{1}{36} \quad \leftarrow (\text{probability of rolling double sixes})$$

$$1 - P = \frac{35}{36}$$

\bar{X} = # of successes

$$P(\bar{X} \geq 3) = P(\bar{X} = 3) + P(\bar{X} = 4) + \dots + P(\bar{X} = 10)$$

Instead we do this:

$$\begin{aligned} P(\bar{X} \geq 3) &= 1 - P(\bar{X} < 3) \\ &= 1 - P(\bar{X} = 0) - P(\bar{X} = 1) - P(\bar{X} = 2) \\ &= 1 - \binom{10}{0} \cdot \left(\frac{1}{36}\right)^0 \left(\frac{35}{36}\right)^{10} - \binom{10}{1} \cdot \left(\frac{1}{36}\right)^1 \cdot \left(\frac{35}{36}\right)^9 \\ &\quad - \binom{10}{2} \cdot \left(\frac{1}{36}\right)^2 \cdot \left(\frac{35}{36}\right)^8 \\ &= 1 - \frac{35^{10}}{36^{10}} - 10 \cdot \frac{35^9}{36^{10}} - 45 \cdot \frac{35^8}{36^{10}} \\ &= 1 - \frac{11,259,376,953,125}{11,284,439,629,824} \end{aligned}$$

$$\approx 0,00222\,099\dots$$

(4)

choose
an acechoose a 10, J,
Q, or Kthere are $16 = 4+4+4+4$
10, J, Q, K's

$$(a) \quad \frac{\binom{4}{1} \cdot \binom{16}{1}}{\binom{52}{2}} = \frac{4 \cdot 16}{\frac{52 \cdot 51}{2}} = \frac{64}{1326} = \boxed{\frac{32}{663}} \approx \boxed{0.04826}$$

(b) Let \bar{X} be the number of blackjacks in $n=20$ experiments. We have $p = \frac{32}{663} \approx 0.048$ is the probability of success and $1-p = \frac{631}{663} \approx 0.952$

Then,

$$\begin{aligned}
 P(\bar{X} \geq 2) &= 1 - P(\bar{X} < 2) \\
 &= 1 - P(\bar{X} = 0) - P(\bar{X} = 1) \\
 &= 1 - \binom{20}{0} \cdot \left(\frac{32}{663}\right)^0 \cdot \left(\frac{631}{663}\right)^{20} - \binom{20}{1} \cdot \left(\frac{32}{663}\right)^1 \cdot \left(\frac{631}{663}\right)^{19} \\
 &\approx 1 - 1 \cdot 1 \cdot (0.952)^{20} - 20 \cdot (0.048)(0.952)^{19} \\
 &\approx 1 - 0.3738 - 0.3769 \\
 &\approx \boxed{0.2493}
 \end{aligned}$$

(5) There are 18 black numbers on the Roulette wheel out of 38 total. Thus,

$$n = 5, p = \frac{18}{38} = \frac{9}{19}, 1-p = \frac{10}{19}$$

(a)

$$p(0) = P(X=0) = \binom{5}{0} \cdot \left(\frac{9}{19}\right)^0 \cdot \left(\frac{10}{19}\right)^5 = \frac{100,000}{2,476,099} \approx 0.04\dots$$

$$p(1) = P(X=1) = \binom{5}{1} \cdot \left(\frac{9}{19}\right)^1 \cdot \left(\frac{10}{19}\right)^4 = \frac{450,000}{2,476,099} \approx 0.18\dots$$


$$p(2) = P(X=2) = \binom{5}{2} \left(\frac{9}{19}\right)^2 \left(\frac{10}{19}\right)^3 = \frac{810,000}{2,476,099} \approx 0.327\dots$$

$$p(3) = P(X=3) = \binom{5}{3} \left(\frac{9}{19}\right)^3 \left(\frac{10}{19}\right)^2 = \frac{729,000}{2,476,099} \approx 0.294\dots$$

$$p(4) = P(X=4) = \binom{5}{4} \left(\frac{9}{19}\right)^4 \left(\frac{10}{19}\right)^1 = \frac{328,050}{2,476,099} \approx 0.132\dots$$

$$p(5) = P(X=5) = \binom{5}{5} \left(\frac{9}{19}\right)^5 \left(\frac{10}{19}\right)^0 = \frac{59,049}{2,476,099} \approx 0.024\dots$$

$$p(k) = P(X=k)$$



(b)

$$P(\bar{X} \geq 3) = P(\bar{X} = 3) + P(\bar{X} = 4) + P(\bar{X} = 5)$$
$$= \frac{1,116,099}{2,476,099} \approx 0,450749\dots$$

(c)

$$E[\bar{X}] = n \cdot p = 5 \cdot \frac{9}{19} = \frac{45}{19}$$